





Rx Only
per tablet
20 mg

Latuda
(lurasidone HCl) tablets

100 Tablets
(10 Cards, 10 Tablets Each)

NDC 63402-302-10

Area Reserved for
CMO Verification Code

NDC 63402-302-10 100 Tablets
(10 Cards, 10 Tablets Each)

Latuda[®]
(lurasidone HCl) tablets

20 mg

per tablet

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only



Each tablet contains
20 mg of lurasidone HCl.

Usual adult dosage:
One tablet, once a day, taken
with food.

DOSAGE AND USE:
SEE PACKAGE INSERT

Storage:
Store at 25°C (77°F); excursions
permitted to 15°-30°C (59°-86°F).

**Not child resistant—keep this and
all medication out of the reach of
children.**

**In case of accidental ingestion,
immediately contact your
physician, pharmacist, or a poison
control center.**

20 mg

per tablet

Die Cut Window
for Lot and Exp

100 Tablets
(10 Cards, 10 Tablets Each)

Latuda[®]
(lurasidone HCl) tablets

20 mg

per tablet

Rx Only






This carton can be recycled.



3 63402-302-10 4



NDC 63402-302-04 28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE – NOT FOR SALE OR REIMBURSEMENT

Latuda[®]
(lurasidone HCl) tablets



20mg per tablet

Rx Only



Manufactured for
Sunovion Pharmaceuticals Inc.
Marlborough MA 01752 USA
Made in Japan
© 2013 Sunovion Pharmaceuticals Inc.
All rights reserved.
Please visit our website at www.latuda.com
901535R01

Area Reserved for
CMO Verification Code

Die Cut Window
for Lot and Exp



Area Reserved for
CMO Verification Code



28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE
NOT FOR SALE OR REIMBURSEMENT

Latuda[®]
(lurasidone HCl) tablets



20mg per tablet

Rx Only



NDC 63402-302-04 28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE – NOT FOR SALE OR REIMBURSEMENT

Latuda[®]
(lurasidone HCl) tablets



20mg per tablet

ATTENTION DISPENSER:
Dispense the enclosed Medication Guide to each patient.

Rx Only



Each tablet contains 20 mg of lurasidone HCl.
Usual adult dosage: One tablet, once a day, taken with food.
Please see full prescribing information, including **Boxed Warning**.
DOSAGE AND USE:
SEE PACKAGE INSERT
Storage:
Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Not child resistant—keep this and all medication out of the reach of children.
In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.

3-panel card (Inside of Blister Card)

7 Tablets



Latuda[®]
(lurasidone HCl) tablets

20 mg per tablet

Rx Only




Panel 1 Front

Day 1 Day 5

Day 2 Day 6

Day 3 Day 7

Day 4



3 63402-302-07 4

Each tablet contains 20 mg of lurasidone HCl.

Panel 2 Front

Follow your prescriber's instructions for taking Latuda[®] (lurasidone HCl) tablets.

If you have any questions about LATUDA or your condition, be sure to talk to your prescriber.



Latuda[®]
(lurasidone HCl) tablets

Panel 3 Front

3-panel card (outside of Blister Card)

7 Tablets



Latuda[®]
(lurasidone HCl) tablets

20 mg per tablet

Usual adult dosage: One tablet, once a day, taken with food.
Please see full prescribing information, including **Boxed Warning**.
DOSAGE AND USE: SEE PACKAGE INSERT
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Not child resistant—keep this and all medication out of the reach of children.


In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.

Manufactured for Sunovion Pharmaceuticals Inc.
Marlborough MA 01752 USA
Made in Japan
© 2013 Sunovion Pharmaceuticals Inc.
Please visit our website at www.latuda.com


Panel 3 Back

7-day supply of Latuda[®] (lurasidone HCl) tablets

20 mg



Unprinted Seal Area / Panel 2 Back



Unprinted Seal Area / Panel 1 Back

2-panel card (outside of Blister Card) to be glued on the outside of the 3-panel card

Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Day 5 Day 1

Day 6 Day 2

Day 7 Day 3

Day 4

Die Cut Window for Lot and Exp

Area Reserved for CMO Verification Code

901534R01

Outside of Blister Card Panel 2 Back

NDC 63402-302-07 7 Tablets

PROFESSIONAL SAMPLE
NOT FOR SALE OR REIMBURSEMENT



Latuda[®]
(lurasidone HCl) tablets


20 mg per tablet

Rx Only

ATTENTION DISPENSER: Dispense the enclosed Medication Guide to each patient.



Outside of Blister Card Panel 1 Back





 5 63402-302-30 2

Each tablet contains 20 mg of lurasidone HCl.
DOSAGE AND USE: SEE PACKAGE INSERT
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-302-30 30 Tablets

Latuda[®]
 (lurasidone HCl) tablets
20mg

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only



Mfd. for Sunovion Pharmaceuticals Inc.
 Marlborough MA 01752 USA © 2013
 Made in Japan

901522R02

Non-varnish Area
 Area Reserved
 for Lot and Exp.



 63402-302-90 6

Each tablet contains 20 mg of lurasidone HCl.
DOSAGE AND USE: SEE PACKAGE INSERT
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-302-90 90 Tablets

Latuda[®]
 (lurasidone HCl) tablets
20mg

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only 901523R01



Mfd. for Sunovion Pharmaceuticals Inc.
 Marlborough MA 01752 USA © 2013
 Made in Japan

NON-VARNISH AREA
 Area Reserved
 for LOT and EXP

Manufactured for
Sunovion Pharmaceuticals Inc.
Marlborough, MA, 01752 USA
Made in Japan
© 2013 Sunovion
Pharmaceuticals Inc.

NDC 63402-302-50 500 Tablets

Latuda[®]

(lurasidone HCl) tablets

20 mg

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only



Each tablet contains 20 mg of lurasidone HCl.
DOSAGE AND USE: SEE PACKAGE INSERT
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).
Dispense in tight container with child-resistant closure.

901524R01

NON-VARNISH AREA
Area Reserved
for LOT and EXP

3 63402 302 50 0

3-panel card (Inside of Blister Card)

7 Tablets



Latuda[®]
(lurasidone HCl) tablets

40mg per tablet

Rx Only




Panel 1 Front

Day 1 Day 5

Day 2 Day 6

Day 3 Day 7

Day 4



3 63402-304-07 8

Each tablet contains 40 mg of lurasidone HCl.

Panel 2 Front

Follow your prescriber's instructions for taking Latuda[®] (lurasidone HCl) tablets.

If you have any questions about LATUDA or your condition, be sure to talk to your prescriber.



Latuda[®]
(lurasidone HCl) tablets

Panel 3 Front

3-panel card (outside of Blister Card)

7 Tablets



Latuda[®]
(lurasidone HCl) tablets

40mg per tablet

Usual adult dosage: One tablet, once a day, taken with food.
Please see full prescribing information, including **Boxed Warning**.

DOSAGE AND USE: SEE PACKAGE INSERT

Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Not child resistant—keep this and all medication out of the reach of children.

In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.

Manufactured for Sunovion Pharmaceuticals Inc.
Marlborough MA 01752 USA
Made in Japan
© 2013 Sunovion Pharmaceuticals Inc.
Please visit our website at www.latuda.com

Panel 3 Back

7-day supply of Latuda[®] (lurasidone HCl) tablets

40 mg

Unprinted Seal Area / Panel 2 Back

Unprinted Seal Area / Panel 1 Back

Unprinted Seal Area / Panel 1 Back

2-panel card (outside of Blister Card) to be glued on the outside of the 3-panel card

Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Day 5 Day 1

Day 6 Day 2

Day 7 Day 3

Day 4

Die Cut Window for Lot and Exp

Area Reserved for CMO Verification Code

901411R02

Outside of Blister Card Panel 2 Back

NDC 63402-304-07 7 Tablets

PROFESSIONAL SAMPLE
NOT FOR SALE OR REIMBURSEMENT



Latuda[®]
(lurasidone HCl) tablets


40mg per tablet

Rx Only

ATTENTION DISPENSER: Dispense the enclosed Medication Guide to each patient.



Outside of Blister Card Panel 1 Back



 3 63402-304-90 0

Each tablet contains 40 mg of lurasidone HCl.
DOSAGE AND USE: SEE PACKAGE INSERT
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-304-90 90 Tablets

Latuda[®]
 (lurasidone HCl) tablets
40mg 

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only 

Mfd. for Sunovion Pharmaceuticals Inc.
 Marlborough MA 01752 USA © 2013
 Made in Japan

NON-VARNISH AREA
Area Reserved
for LOT and EXP

901399R01

Manufactured for
Sunovion Pharmaceuticals Inc.
Marlborough, MA, 01752 USA
Made in Japan
© 2013 Sunovion
Pharmaceuticals Inc.

NDC 63402-304-50 500 Tablets

Latuda[®]
(lurasidone HCl) tablets

40 mg 

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only

 **SUNOVION**

Each tablet contains 40 mg of lurasidone HCl.
DOSAGE AND USE: SEE PACKAGE INSERT
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).
Dispense in tight container with child-resistant closure.

901402R01

NON-VARNISH AREA
Area Reserved
for LOT and EXP

3 63402 304 50 4







 63402-304-30 6

Each tablet contains 40 mg of lurasidone HCl.
 DOSAGE AND USE: SEE PACKAGE INSERT
 Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-304-30 30 Tablets

Latuda[®]
 (lurasidone HCl) tablets
40mg

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only



 Mfd. for Sunovion Pharmaceuticals Inc.,
 Marlborough MA 01752 USA © 2013
 Made in Japan

901396R02

Non-varnish Area
 Area Reserved
 for Lot and Exp.



NDC 63402-304-04 28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE – NOT FOR SALE OR REIMBURSEMENT

 **Latuda**[®]
(lurasidone HCl) tablets



40 mg
per tablet

Rx Only



Manufactured for
Sunovion Pharmaceuticals Inc.
Marlborough MA 01752 USA
Made in Japan
© 2013 Sunovion Pharmaceuticals Inc.
All rights reserved.
Please visit our website at www.latuda.com
901438R02

Area Reserved for
CMO Verification Code

Die Cut Window
for Lot and Exp



Area Reserved for
CMO Verification Code



28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE
NOT FOR SALE OR REIMBURSEMENT

 **Latuda**[®]
(lurasidone HCl) tablets



40 mg
per tablet

Rx Only



NDC 63402-304-04 28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE – NOT FOR SALE OR REIMBURSEMENT

 **Latuda**[®]
(lurasidone HCl) tablets



40 mg
per tablet

ATTENTION DISPENSER:
Dispense the enclosed Medication Guide to each patient.

Rx Only



Each tablet contains 40 mg of lurasidone HCl.

Usual adult dosage: One tablet, once a day, taken with food.

Please see full prescribing information, including **Boxed Warning**.

DOSAGE AND USE:
SEE PACKAGE INSERT

Storage:
Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Not child resistant—keep this and all medication out of the reach of children.

In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.

3-panel card
(Inside of
Blister Card)

7 Tablets



80 mg
per tablet

Rx Only




Panel 1
Front

Day 1 Day 5

Day 2 Day 6

Day 3 Day 7

Day 4



63402-308-076

Each tablet contains 80 mg of lurasidone HCl.

Panel 2
Front

Follow your prescriber's instructions for taking Latuda® (lurasidone HCl) tablets.

If you have any questions about LATUDA or your condition, be sure to talk to your prescriber.




Panel 3
Front

3-panel card
(outside of
Blister Card)

7 Tablets



80 mg
per tablet

Usual adult dosage: One tablet, once a day, taken with food.
Please see full prescribing information, including **Boxed Warning**.
DOSAGE AND USE: SEE PACKAGE INSERT
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Not child resistant—keep this and all medication out of the reach of children.


In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.

Manufactured for Sunovion Pharmaceuticals Inc.
Marlborough MA 01752 USA
Made in Japan
© 2013 Sunovion Pharmaceuticals Inc.
Please visit our website at www.latuda.com


Panel 3
Back

7-day supply of Latuda® (lurasidone HCl) tablets

80 mg



Unprinted Seal Area / Panel 2 Back



Unprinted Seal Area / Panel 1 Back

2-panel card
(outside of
Blister Card)
to be glued
on the
outside of the
3-panel card

Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Day 5 Day 1

Day 6 Day 2

Day 7 Day 3

Day 4

Die Cut Window for Lot and Exp

Area Reserved for CMO Verification Code

901412R02

Outside of Blister Card
Panel 2 Back

NDC 63402-308-07 7 Tablets

PROFESSIONAL SAMPLE
NOT FOR SALE OR REIMBURSEMENT




80 mg
per tablet

Rx Only

ATTENTION DISPENSER: Dispense the enclosed Medication Guide to each patient.



Outside of Blister Card
Panel 1 Back



 5 63402-308-908

Each tablet contains 80 mg of lurasidone HCl.
 DOSAGE AND USE: SEE PACKAGE INSERT
 Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-308-90 90 Tablets

Latuda[®]
 (lurasidone HCl) tablets
80mg

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only 

Mfd. for Sunovion Pharmaceuticals Inc.
 Marlborough MA 01752 USA © 2013
 Made in Japan

NON-VARNISH AREA
 Area Reserved
 for LOT and EXP

901400R01

Manufactured for
Sunovion Pharmaceuticals Inc.
Marlborough, MA 01752 USA
Made in Japan
© 2013 Sunovion Pharmaceuticals Inc.

NDC 63402-308-50 500 Tablets

Latuda[®]
(lurasidone HCl) tablets

80 mg 

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only

 **SUNOVION**


Each tablet contains 80 mg of lurasidone HCl.
DOSAGE AND USE: SEE PACKAGE INSERT
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).
Dispense in tight container with child-resistant closure.

901403R01

NON-VARNISH AREA
Area Reserved
for LOT and EXP

3 63402-308-50 2







 63402-308-304

Each tablet contains 80 mg of lurasidone HCl.
 DOSAGE AND USE: SEE PACKAGE INSERT
 Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-308-30 30 Tablets

Latuda[®]
 (lurasidone HCl) tablets
80mg

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only



 Mfd. for Sunovion Pharmaceuticals Inc.
 Marlborough MA 01752 USA © 2013
 Made in Japan

901397R02

Non-varnish Area
 Area Reserved
 for Lot and Exp.

NDC 63402-308-04 28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE – NOT FOR SALE OR REIMBURSEMENT

 **Latuda**[®]
(lurasidone HCl) tablets



80 mg
per tablet

Rx Only



Manufactured for
Sunovion Pharmaceuticals Inc.
Marlborough MA 01752 USA
Made in Japan
© 2013 Sunovion Pharmaceuticals Inc.
All rights reserved.
Please visit our website at www.latuda.com
901439R02

Area Reserved for
CMO Verification Code

Die Cut Window
for Lot and Exp



Area Reserved for
CMO Verification Code



28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE
NOT FOR SALE OR REIMBURSEMENT

 **Latuda**[®]
(lurasidone HCl) tablets



80 mg
per tablet

Rx Only



NDC 63402-308-04 28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE – NOT FOR SALE OR REIMBURSEMENT

 **Latuda**[®]
(lurasidone HCl) tablets



80 mg
per tablet

ATTENTION DISPENSER:
Dispense the enclosed Medication Guide to each patient.

Rx Only



Each tablet contains 80 mg of lurasidone HCl.

Usual adult dosage: One tablet, once a day, taken with food.

Please see full prescribing information, including **Boxed Warning**.

DOSAGE AND USE:
SEE PACKAGE INSERT

Storage:
Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Not child resistant—keep this and all medication out of the reach of children.

In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.

NDC 63402-312-04 28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE – NOT FOR SALE OR REIMBURSEMENT

 **Latuda**[®]
(lurasidone HCl) tablets



120 mg
per tablet

Rx Only



Manufactured for
Sunovion Pharmaceuticals Inc.
Marlborough MA 01752 USA
Made in Japan
© 2013 Sunovion Pharmaceuticals Inc.
All rights reserved.
Please visit our website at www.latuda.com
901537R01

Area Reserved for
CMO Verification Code

Die Cut Window
for Lot and Exp



Area Reserved for
CMO Verification Code



28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE
NOT FOR SALE OR REIMBURSEMENT

 **Latuda**[®]
(lurasidone HCl) tablets



120 mg
per tablet

Rx Only



NDC 63402-312-04 28 Tablets (4 Cards, 7 Tablets Each)
PROFESSIONAL SAMPLE – NOT FOR SALE OR REIMBURSEMENT

 **Latuda**[®]
(lurasidone HCl) tablets



120 mg
per tablet

ATTENTION DISPENSER:
Dispense the enclosed Medication Guide to each patient.

Rx Only



Each tablet contains 120 mg of lurasidone HCl.

Usual adult dosage: One tablet, once a day, taken with food.

Please see full prescribing information, including **Boxed Warning**.

DOSAGE AND USE:
SEE PACKAGE INSERT

Storage:
Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Not child resistant—keep this and all medication out of the reach of children.

In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.

3-panel card
(Inside of
Blister Card)

7 Tablets



120 mg
per tablet

Rx Only




Panel 1
Front

Day 1 Day 5

Day 2 Day 6

Day 3 Day 7

Day 4



3 63402-312-07 3

Each tablet contains 120 mg of lurasidone HCl.

Panel 2
Front

Follow your prescriber's instructions for taking Latuda® (lurasidone HCl) tablets.

If you have any questions about LATUDA or your condition, be sure to talk to your prescriber.




Panel 3
Front

3-panel card
(outside of
Blister Card)

7 Tablets



120 mg
per tablet

Usual adult dosage: One tablet, once a day, taken with food.
Please see full prescribing information, including **Boxed Warning**.
DOSAGE AND USE: SEE PACKAGE INSERT
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).


Not child resistant—keep this and all medication out of the reach of children.
In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.

Manufactured for Sunovion Pharmaceuticals Inc.
Marlborough MA 01752 USA
Made in Japan
© 2013 Sunovion Pharmaceuticals Inc.
Please visit our website at www.latuda.com


Panel 3
Back

7-day supply of Latuda® (lurasidone HCl) tablets

120 mg



Unprinted Seal Area / Panel 2 Back



Unprinted Seal Area / Panel 1 Back

2-panel card
(outside of
Blister Card)
to be glued
on the
outside of the
3-panel card

Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Day 5 Day 1

Day 6 Day 2

Day 7 Day 3

Day 4

Die Cut Window
for Lot and Exp

Area Reserved for
CMO Verification Code

901536R01

Outside of Blister Card
Panel 2 Back

NDC 63402-312-07 7 Tablets

PROFESSIONAL SAMPLE
NOT FOR SALE OR REIMBURSEMENT



120 mg
per tablet


Rx Only

ATTENTION DISPENSER: Dispense the enclosed Medication Guide to each patient.



Outside of Blister Card
Panel 1 Back





 63402-312-30 1

Each tablet contains 120 mg of lurasidone HCl.
 DOSAGE AND USE: SEE PACKAGE INSERT
 Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-312-30 30 Tablets

Latuda[®]
 (lurasidone HCl) tablets
120mg

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.


Rx Only



 Mfd. for Sunovion Pharmaceuticals Inc.,
 Marlborough MA 01752 USA © 2013
 Made in Japan

901398R01

Non-varnish Area
 Area Reserved
 for Lot and Exp.



 5 63402-312-90 5

Each tablet contains 120 mg of lurasidone HCl.
 DOSAGE AND USE: SEE PACKAGE INSERT
 Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-312-90 90 Tablets

Latuda[®]
 (lurasidone HCl) tablets

120 mg 

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only 

Mfd. for Sunovion Pharmaceuticals Inc.
 Marlborough MA 01752 USA © 2013
 Made in Japan

NON-VARNISH AREA
 Area Reserved
 for LOT and EXP

901401R01

Manufactured for
Sunovion Pharmaceuticals Inc.
Marlborough, MA 01752 USA
Made in Japan
© 2013 Sunovion Pharmaceuticals Inc.

NDC 63402-312-50 500 Tablets

Latuda[®]
(lurasidone HCl) tablets

120 mg 

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at www.latuda.com or 1-888-394-7377.

Rx Only

 **SUNOVION**

Each tablet contains 120 mg of lurasidone HCl.
DOSAGE AND USE: SEE PACKAGE INSERT
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).
Dispense in tight container with child-resistant closure.

901404R01

NON-VARNISH AREA
Area Reserved
for LOT and EXP

3 63402 312 50 9



This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

MITCHELL V Mathis
09/03/2013